HP Jet Fusion 540 3D Printer

Accelerate your creation workflow—produce functional parts in a fraction of the time¹



The final color of the part may vary.

Accurate, functional parts with intricate detail

- Produce engineering-grade thermoplastic parts with optimal mechanical properties.
- Achieve fine detail and high dimensional accuracy for small features.
- Get accurate and repeatable results.
- Prototype and produce functional parts, averaging up to 100 parts per week.²

Streamline design—create, test, iterate in hours

- Produce multiple prototype iterations in the same time it takes to print a single part.¹
- Access convenient in-house automated 3D printing with the most compact HP Jet Fusion 3D device.
- Get the parts you want when you need them, easily, reliably, and predictably.
- Get immediate access to support and comprehensive training with affordable HP Jet Fusion 3D Solution Services.

Print consistent white parts with voxel control

- Produce clean, white models.
- Stay ahead with a future-ready technology.
- Prototype, then do final part production on the HP Jet Fusion 4200 3D Printing Solution, using the same technology.

For more information, please visit hp.com/go/3DPrinter540

A fully integrated, compact design

An easy-to-use solution that integrates material mixing and loading, printing, and reclaiming material in one device.



Enclosed, automated material mixing, loading, and reclamation systems



Multi-agent printing with voxel-level control

Designed for small/mediumsized product development teams, design firms, and universities averaging up to 100 parts per week²

Image shows the HP Jet Fusion 540 3D Printer

Prototype, then produce with the same technology

Transition seamlessly from prototyping on an HP Jet Fusion 540 3D Printer to final part production on an HP Jet Fusion 4200 3D Printing Solution. Achieve consistent part properties with the same HP Multi Jet Fusion technology.





Streamline design from prototyping to production



Print consistent, quality parts



Reduce time to market





Reinventing 3D printing

HP Jet Fusion 540 3D Printer

Prepare designs:

Open your 3D models and check for errors with the easy-to-use HP SmartStream 3D Build Manager.



Send to print:
Pack your models in the 3D build manager and press "Send to print" to submit your job to the printer.




Select job:
Choose your print job at the printer.




Add supplies:

Insert 3D materials and agent cartridges into the printer as needed.



Automated material mixing and loading:

The printer automatically mixes fresh and reusable material and loads it into the print area. Agents are automatically loaded into the print area as well.



Print with voxel-level control:

Press "Start" to begin printing with fine detail and high dimensional accuracy, thanks to HP's multi-agent printing process.

Material Agents

Fused

Automated material extraction and reclamation:

After printing is finished, the printer automatically extracts and reclaims unfused material for future builds. You can use up to 80% reusable material in builds while maintaining consistent performance.*



Job done:
You receive an alert when your

You receive an alert when your parts are ready and the reclamation process is complete.



Retrieve parts:
Simply open the printer and retrieve your parts for final cleaning and post processing.

Energy



HP Jet Fusion 3D Solution
Services – with you at every step:

Accelerate your design cycle with immediate access to support, affordable solution services, and comprehensive training.



Technical information

HP Jet Fusion 540 3D Printer

Printer	Technology	HP Multi Jet Fusion technology	
performance	Effective building volume	Up to 332 x 190 x 248 mm (13.1 x 7.5 x 9.8 inches)	
	Building speed ³	1,817 cm ³ /hr (111 in ³ /hr)	
	Full build job time for 248-mm (9.8-in) buildable height ⁴	As fast as 20 hours	
	Layer thickness	0.08 mm (0.003 inches)	
	Printhead resolution	1200 dpi	
Dimensions	Printer	1565 x 955 x 1505 mm (61.6 x 37.6 x 59.3 inches)	
(w x d x h)	Shipping	1770 x 1143 x 2013 mm (69.7 x 45 x 79.3 inches)	
	Operating area	2785 x 2530 x 2440 mm (109.6 x 99.3 x 96 inches)	
Weight	Printing	650 kg (1433 lb)	
	Shipping	850 kg (1874 lb)	
Environmental	Operating temperature	20-30° C (68-86° F)	
ranges	Operating humidity	20-70% RH without condensation	
Acoustics ⁵	Front operating position	72 dB (without muffler) / 70 dB (with muffler)	
	Rear bystander position	80 dB (without muffler) / 75 dB (with muffler)	
Network ⁶	Gigabit Ethernet (10/100/1000Base-T), supporting the following standards: TCP/IP, DHCP (iPv4 only), TLS/SSL)		
Hard disk	HDD 1TB (AES-256 encrypted, disk wipe DoD 5520M) & SSD 1TB (AES-256 encrypted)		
Software	Included software	HP SmartStream 3D Build Manager	
		HP SmartStream 3D Command Center	
	Supported file formats	3MF, STL, OBJ, VRML v.2	
Power	Consumption	4.5-6.3 kW (typical)	
	Requirements	One dedicated circuit configuration: input voltage 200 - 240 V (line-to-line), 36 A max, 50/60 Hz	
Certification	Safety	NA (US & Canada): IEC 61010-1 compliant, NRTL certified; EU: Machinery Directive, EN 61010-1, EN 60204-1, EN ISO 12100 and EN ISO 13849-1 compliant	
	Electromagnetic compatibility	EN 55032:2012 Class A; CISPR 32:2015 Class A; FCC CFR 47 Part 15 Class A; ICES-003, Issue 6 Class A; EN 61000-3-12:2011; IEC 61000-3-12:2011; EN 61000-3-11:2017; IEC 61000-3-11:2017; EN 55024:2010; CISPR 24:2010	
	Environmental	REACH compliant	
Warranty & service coverage included	One-year limited hardwa	re warranty	

Eco Highlights



- HP 3D powders and agents are not classified as health hazards⁸
- Cleaner, more comfortable experience—enclosed printing system, and automatic powder management⁹
- Minimizes waste due to industry-leading reusability of powder 10
- Take-back program for agent cartridges ¹

Find out more about HP sustainable solutions at hp.com/ecosolutions

Ordering information

Printer	M2K86A	HP Jet Fusion 540 3D Printer
Printer accessories	5RD52A	HP Jet Fusion Muffler
Recommended cleaning accessories * Please consult with your	Guyson MultiBlast3D	HP Recommended Bead & Air Blast Solution* (Recommended for EMEA and AMS regions)
local HP Partner First 3D Printing Specialist	Delfin 300 BL	HP Recommended Explosion-Proof Vacuum. Promotional code*: ESD.EX22-0299 (Recommended for EMEA region)
	Tiger-Vac C-10 EX (4W)	HP Recommended Explosion-Proof Vacuum. Promotional code*: TVC-111805A-HP2 (Recommended for AMS region)
Original HP printheads	V1Q67A	HP 3D400 Printhead Kit
Original HP agents	V1Q80A	HP 3D400 500-ml Detailing Agent
	V1Q71A	HP 3D400 500-ml Fusing Agent
	V1Q81A	HP 3D400 250-ml Bright Fusing Agent
Original HP 3D high reusability materials	V1R30A	HP 3D HR CB PA 12 10L (4 kg) ⁷
HP Jet Fusion 3D	U9ZR4E	HP Ready-to-print Service
Solution Services	U9ZN9E	HP Advanced Operation Training (HP Training Center)
	U9ZQ7E	HP 3 year 2nd Business Day onsite Hardware Support w/DMR
HP 3D long-term	U9ZR1E	HP 3D400 Air Inlet Filter
consumables	U9ZR2E	HP 3D400 Print Area Filter
	U9ZR3E	HP 3D400 Air Exhaust Filter
	U9ZR5E	HP 3D400 Printhead Cleaning Roll
	U9ZR6E	HP 3D400 Lamp Module



reddot award 2018





HP Jet Fusion 500 Series 3D Printers were awarded the "Seal of Design Quality" at the 2018 Red Dot Awards, an honor that is only awarded to products that display

outstanding design quality and innovation.



Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. More at: hp.com/go/learnaboutsupplies

Connect with an HP 3D Printing expert or sign up for the latest news about HP Jet Fusion 500 Series 3D Printers at hp.com/go/3DPrinter540 Learn more about HP Multi Jet Fusion technology at hp.com/go/3DPrint

- 1. Based on internal and third-party testing for HP Jet Fusion 580 Color and 540 3D Printers, printing and cooling time is a fraction of the time of the printing times of comparable plastic fused deposition modeling (FDM), stereolithography (SLA), and material jetting solutions from \$20,000 USD to \$120,000 USD on market as of June, 2017. Testing variables for the HP Jet Fusion 540 3D Printer: Part quantity: 1 full build chamber of parts from HP Jet Fusion 3D at 10% of packing density versus same number of parts on above-mentioned competitive devices; Part size: 30 cm3; Layer thickness: 0.08 mm/0.003 inches. Competitor testing variables are comparable.
- 2. Assuming 220 working days of 30 cm³ parts at a 10% packing density using HP 3D High Reusability CB PA 12 material, and up to 80% powder reusability ratio.
- Based on 0.08-mm (0.003-in) layer thickness and 10 sec/layer.
- 4. Assumes default "Auto Cool and Reclaim" print mode. Job duration begins at the moment the job is selected to print at the control panel and ends at the time the parts are ready to be removed from the build chamber. Does not include part cleaning.
- 5. Measurement positions conform to ISO 11201-2010 for machinery, 1.0 meters horizontally and 1.55 meters above the floor.

- The HP Jet Fusion 3D Printing Solution should be connected to the HP Cloud in order to enable the correct functioning of the printer and to offer better support.
- Liters refers to the materials container size and not the actual materials volume. Materials are measured in kilograms.
- The HP powder and agents do not meet the criteria for classification as hazardous according to GHS and Regulation (EC) 1272/2008 as amended.
- Compared to manual print retrieval process used by other powder-based technologies. The term "cleaner" does not refer to any indoor air quality requirements and/or consider related air quality regulations or testing that may be applicable.
- 10. Compared to PA 12 materials available as of June, 2017. HP Jet Fusion 3D Printing Solutions using HP 3D High Reusability CB PA 12 provide up to 80% powder reusability ratio, producing functional parts batch after batch.
- 11. Printing supplies eligible for recycling vary by printer. Visit hp.com/recycle to see how to participate and for HP Planet Partners program availability; program may not be available in your area. Where this program is not available, and for other consumables not included in the program, consult your local waste authorities on appropriate disposal.



The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

